

# **Product Specification Sheet**

# Sunset Vintage Globe 80mm 2.5W (40W) 1800K 170lm E27 Non-Dimmable Lamp

Partcode: ILGLOBE27N001 / Page: 1



The wattage comparison is made between the Sunset LED Globe and its equivalent vintage incandescent decorative lamp. This offers a more accurate representation of the product's luminous efficacy. The ErP equivalent for reference is 2.5w (170lm) = 18W

Create a relaxing ambience with an ultra-warm (1800K), energy-saving LED filament lamp. The Sunset range has a retro look with tinted amber glass and an eye-catching vintage design.

Built using the latest LED filament technology to deliver an A+ energy rating and 93% energy savings compared to the incandescent lamp it replaces. Enjoy the classic aesthetic look but with an improved lifetime of 15,000 hours.

#### **Product Details**

Partcode: ILGLOBE27N001

Check Code: 821356 Range Name: Sunset

Placement / Application: Indoor, General Lighting

Product Type: Vintage Decorative

Warranty: 2 Years CE / RoHS: Yes

### **Physical Data**

Lamp Base: E27

Base Type: Edison screw Globe Type: Globe 80 Globe Finish: Clear

Material: Glass

Construction: Glass shell, filament strip



# **Product Specification Sheet**

Partcode: ILGLOBE27N001 / Page: 2

## **Physical Data**

Length: 122mm Width: 80mm

Weight (Unpackaged Single Unit): 47g Lamp or Luminaire Shape: Round

Lamp Fixing: Pendant, Chandelier, Wall

#### **Electrical Data**

Voltage Range: 220-240V

Power Consumption: 2.5 Watts

Driver included: Yes Electric Current: AC Ampage: 41.00mA

Frequency Range: 50/60 Hz

Power Factor: >=0.50

Wattage Equivalent: 40 Watts

Dimming: Non-dimmable

LVD Certified: Yes EN: EN-62560

## **Light Data**

Lumens: 170lm

Lumens per Watt: 68.0lm/W

Beam Angle: 300°

Correlated Colour Temperature (CCT): 1,800k

Colour Rendering Index (CRI): >=80

LED Type: Filament

Instant on - Less than 1 second: Yes

Lifetime: 15,000 hrs

Switching Cycles: >7,500 X



# **Product Specification Sheet**

Partcode: ILGLOBE27N001 / Page: 3

#### **Environmental**



Energy Rating: A+

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 45 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

## **Packaging**



EAN Barcode (unit of 1): 5055788218296

Packaged Weight (Unit of 1): 96g

Length (unit of 1): 134mm Width (unit of 1): 86mm Depth (unit of 1): 86mm

Outer packaging info available on website

Product data last updated on: Friday, September 29, 2017 - 17:33